

# Linear Wood and Grille Ceilings

### A naturally beautiful solution.

#### The Authentic Beauty of Wood

Create an inviting space with a ceiling system that brings the added warmth and depth of wood to your design. Decoustics new Linear Wood and Grille Ceilings enrich any space with outstanding looks and ease of access. Now you can complement your designs with a ceiling that produces an environment that looks truly natural.

#### A Fit for Your Project

With many finishes, sizes and configurations available, it's easy to incorporate a beautiful wood ceiling into your projects. You can choose from cherry, beech, maple and ash veneers – or specify a custom veneer finish that perfectly suits your design. FSC® certified wood available.

#### **Effortless Access**

A convenient, heavy-duty T-bar grid system lets you add the distinctive charm of a wood ceiling without compromising on ease of installation and access.

Configurations are available that provide complete access to the plenum.

# Bring the Look of Wood to Your Next Project

Ask how you can add the authentic wood look to your designs, while delivering outstanding performance and ease of access.



Decoustics Ltd. is Forest
Stewardship Council® (FSC®)
certified by the Rainforest Alliance.



## Linear Wood Ceiling Options

Linear Wood is available in panelized, lay-in and continuous design configurations.

#### Panelized Linear Wood




Standard Available Lengt	ths		
47-1/4" (1200mm)	59-1/4" (1505mm)	95-1/4" (2419mm)	119-1/4" (3029mm)
Module Width 12-1/4" (311mm)			
Plank Width 1-3/4" (44mm)	2-1/4" (57mm)	3-1/4" (83mm)	5-1/4" (133mm)
Plank Thickness 5/8" (16mm)			
Wood Planks per Panel			
5	4	3	2

 Panelized linear wood is screwed to heavy duty 15/16" T-bar grid using Decoustics approved fasteners

#### Lay-in Linear Wood





Standard Available Lengt	ths		
47-1/4" (1200mm)	59-1/4" (1505mm)	95-1/4" (2419mm)	
Module Width 23-1/2" (597mm)			
Plank Width			
1-3/4" (44mm)	2-1/4" (57mm)	3-1/4"(83mm)	5-1/4" (133mm)
Plank Thickness 5/8" (16mm)			
Wood Planks per Panel			
10	8	6	4

- Easy "lift and shift" installation into heavy duty 15/16" T-bar grid
- 100% accessible without the use of tools

#### Continuous Linear Wood









Standard Available L	_engths			
48" (1220mm)	60"(1525mm)	96" (2440mm)	120" (3050mm)	
Plank Width				
1-3/4" (44mm)	2-1/4" (57mm)	3-1/4" (83mm)	5-1/4" (133mm)	
Plank Thickness				
5/8" (16mm)				

- Steel mounting clips screw into heavy duty 15/16" T-bar grid using Decoustics approved fasteners
- Optional black fiber strips are inserted between the panels. (Felt strips and steel mounting clips are supplied by Decoustics)

## Grille Ceiling Options

Grille is available in dowel, cross piece and lay-in configurations.

#### Dowel Grille



Standard Available Leng	ths		
47-1/4" (1200mm)	59-1/4" (1505mm)	95-1/4" (2419mm)	119-1/4" (3029mm)
Module Width 12 -1/4" (311mm)			
Blade Height 1-3/4" (44mm)	2-1/4" (57mm)	3-1/4" (83mm)	5-1/4" (133mm)
Blade Thickness 5/8" (16mm)			
Wood Blades per Panel			

- Grille hangs below heavy duty 15/16" T-bar grid, the dowel clip snaps onto the T-bar
- 100% accessible without the use of tools

#### Lay-in Grille





<u> </u>			
Standard Available Le	ngths		
47-1/4" (1200mm)	59-1/4" (1505mm)	95-1/4" (2419mm)	
Module Width			
23-1/2" (597mm)			
Blade Height			
1-3/4" (44mm)	2-1/4" (57mm)	3-1/4" (83mm)	5-1/4" (133mm)
Blade Thickness			
5/8" (16mm)			
Wood Blades per Pan	ما		

Wood Blades per Panel

8

- Easy "lift and shift" installation into heavy duty 15/16" T-bar grid
- 100% accessible without the use of tools

#### Cross Piece Grille





Standard Available Len	gths		
47-1/4" (1200mm)	59-1/4" (1505mm)	95-1/4" (2419mm)	119-1/4" (3029mm)
Module Width			
12 -1/4" (311mm)			
Blade Height			
1-3/4" (44mm)	2-1/4" (57mm)	3-1/4" (83mm)	5-1/4" (133mm)
1 0/4 (4411111)	2-1/4 (3/11111)	3-1/4 (0311111)	3-1/4 (13311111)
Blade Thickness	2-1/4 (3/11111)	3-174 (6311111)	J-174 (133HIII)

Wood Blades per Panel

- Cross Piece Grille panel secured to heavy duty 15/16" T-bar grid with mounting screws
- Simply remove screws for plenum access



DECOUSTICS°
ECOPHON°
GYPTONE°
PERFORMA™

**Ceilings** 



You can Be Certain™ that Decoustics will free you to bring your one-of-a-kind ceiling design to life. Its dramatic custom forms are engineered with exceptional precision to make even your most elaborate vision a possibility. And as part of CertainTeed Ceilings, we offer the expertise to help you ensure every space achieves ideal Environmental Acoustics™ for a healthier indoor environment. Our solutions promote wellbeing and productivity in any setting so every person can achieve their greatest potential. Through deep industry knowledge, continual innovation and sustainable efforts, we empower you to provide a sounder environment in any setting.



Decoustics Limited 61 Royal Group Crescent Woodbridge, Ontario L4H 1X9 Canada

www. Decoustics. com

Phone: 905-652-5200 Toll Free: 800-387-3809

© 7/12 Decoustics Limited Code No. CTC-DC-0812-1500-1